

# LE SERIES OF ACTIVATED CARBON ELEMENTS

## Features:

- Provides Odor And Chlorine Reduction
- High Dirt-Holding Capacity
- Available In Four Sizes

## Applications:

- Drinking Water Purification
- Cryogenics
- Clean In Place Systems (C.I.P.)



Our Carbon Cartridges are designed to remove organics and odor from a wide variety of industrial applications. Carbon cartridges provide a cost effective solution to remove unwanted taste, odor and chlorine from drinking water. The cartridges also effectively remove hydrocarbons in compressed air or gas systems.

<b>Filter Media:</b>	PAC-Impregnated Cellulose
<b>End Caps:</b>	Vinyl Plastisol
<b>Netting:</b>	Polyethylene
<b>Core:</b>	Polyethylene
<b>Backing:</b>	Polyester
<b>Temperature Rating:</b>	40°F to 145°F (4.4°C to 52°C)

PRINCIPLE SPECIFICATIONS			
Model	Maximum Dimensions	Micron Rating	Chlorine Reduction @ Flow Rate (GPM)
LE-818-CC	2.50" x 5.00" (64mm x 127mm)	5	>2,500 Gallons @ 1 GPM (>9,500 Liters @ 3.8 LPM)
LE-820-CC	2.50" x 9.875" (64mm x 248mm)	5	>5,000 Gallons @ 1 GPM (>18,900 Liters @ 3.8 LPM)
LE-895-CC	2.50" x 20.00" (64mm x 508mm)	5	>10,000 Gallons @ 1 GPM (>38,000 Liters @ 3.8 LPM)
LE-897-CC	2.50" x 30.00" (64mm x 762mm)	5	>15,000 Gallons @ 1 GPM (>57,000 Liters @ 3.8 LPM)

To be used with our Onstream Liquid Housings and Plastic Housings



United Filtration Systems, Inc.  
 6558 Diplomat Drive  
 Sterling Heights, MI 48314  
 T (586) 802-5561 • F (586) 802-5562  
 sales@unitedfiltration.com  
 www.unitedfiltration.com

1-800-311-5561



Partner of Headline Filters